

EAST Search History *(Interference Searches)*

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((CDMA or (code adj division adj multiple adj access)) and (flash\$4 or signal\$4) and ((reverse adj link\$1) or uplink\$1) and message and (control adj information) and record\$4 and (status or current\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 20:57
L2	2	((CDMA or (code adj division adj multiple adj access)) and (flash\$4 or signal\$4) and ((reverse adj link\$1) or uplink\$1) and message and (control adj information) and channel\$1 and (status or current\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 20:55
L3	1	((CDMA or (code adj division adj multiple adj access)) and (flash\$4 or signal\$4) and ((reverse adj link\$1) or uplink\$1) and message and (control adj information) and channel\$1 and (status or current\$3)).clm.	US-PGPUB	OR	OFF	2007/05/11 20:57
L4	1	((CDMA or (code adj division adj multiple adj access)) and (flash\$4 or signal\$4) and ((reverse adj link\$1) or uplink\$1) and message and (control adj information) and channel\$1 and (status or current\$3)).clm.	US-PGPUB	OR	OFF	2007/05/11 20:57
L5	1	((CDMA or (code adj division adj multiple adj access)) and (flash\$4 or signal\$4) and ((reverse adj link\$1) or uplink\$1) and message and (control adj information) and channel\$1 and (status or current\$3)).clm.	US-PGPUB	OR	ON	2007/05/11 20:57
L6	1	((CDMA or (code adj division adj multiple adj access)) and (flash\$4 or signal\$4) and ((reverse adj link\$1) or uplink\$1) and message and (control adj information) and record\$4 and (status or current\$3)).clm.	US-PGPUB	OR	ON	2007/05/11 20:58
L7	1	((CDMA or (code adj division adj multiple adj access)) and (flash\$4 or signal\$4) and ((reverse adj link\$1) or uplink\$1) and message and (control adj information) and record\$4 and (status or current\$3)).clm.	US-PGPUB	OR	OFF	2007/05/11 20:58

th

EAST Search History *(update)*

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S56	1058	(calling and called) near3 (part\$2 or user\$1 or phone\$1 or telephone\$1 or terminal\$1) and ((three adj way\$1) or ("3" adj way\$1) or conference) and ((signal\$4 or message) with information with connect\$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/10 18:48
S58	115	S57 and (CDMA or (code adj division adj multiple adj access))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/10 18:51
S3	136	S2 and @AD<="20031229"	US-PGPUB; USPAT	OR	OFF	2007/05/10 18:51
S60	81	S58 and @AD<="20031229"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/10 18:52
S16	153	S15 and ("455"/\$.ccls. or "370"/\$.ccls. or "379"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2007/05/10 18:52
S61	78	S60 and ("455"/\$.ccls. or "370"/\$.ccls. or "379"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/10 18:53
S11 9	1058	(calling and called) near3 (part\$2 or user\$1 or phone\$1 or telephone\$1 or terminal\$1) and ((three adj way\$1) or ("3" adj way\$1) or conference) and ((signal\$4 or message) with information with connect\$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S11 7	81	S116 and @AD<="20031229"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S11 5	1058	(calling near3 (part\$2 or user\$1 or phone\$1 or telephone\$1 or terminal\$1)) and (called near3 (part\$2 or user\$1 or phone\$1 or telephone\$1 or terminal\$1)) and ((three adj way\$1) or ("3" adj way\$1) or conference) and ((signal\$4 or message) with information with connect\$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S11 4	0	S103 and (connect\$4 near4 (ID or indicator) near4 filed)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S11 3	13	S104 and (("3" adj way\$1) or (three adj way) or threeway\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S11 1	14	S110 and @AD<="20031229"	US-PGPUB; USPAT	OR	OFF	2007/05/11 10:51
S11 0	15	S103 and (connect\$4 near4 (ID or indicator))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S10 9	94	S107 not S100	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S10 8	80984	((status or activat\$6 or deactivat\$6 or inactivat\$6 or connect\$4) near4 field)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S10 7	111	S106 and @AD<="20031229"	US-PGPUB; USPAT	OR	OFF	2007/05/11 10:51

EAST Search History

S10 6	144	S105 and S98	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S10 5	70120	((status or connect\$4) near4 field)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S10 3	318	(status or connect\$4) near4 field near4 (activat\$6 or deactivat\$6 or inactivat\$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S10 2	1	S100 and (("3" adj way\$1) or (three adj way) or threeway\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S10 1	1	S100 and (("3" adj way\$1) or (three adj way) or confrenc\$4 or threeway\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S10 0	21	S98 and ((status or activat\$6 or deactivat\$6 or inactivat\$6 or connect\$4) near4 field near5 called)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S99	155	S98 and ((status or activat\$6 or deactivat\$6 or inactivat\$6 or connect\$4) near4 field)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S98	611	(called near4 (ID or identif\$6) near4 field\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S97	4	S96 and ((status or current\$2) near3 field\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 10:51
S11 2	9	S104 and ((flash\$4 or hook) near3 (signal\$4 or message\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 11:32
S57	1058	(calling near3 (part\$2 or user\$1 or phone\$1 or telephone\$1 or terminal\$1)) and (called near3 (part\$2 or user\$1 or phone\$1 or telephone\$1 or terminal\$1)) and ((three adj way\$1) or ("3" adj way\$1) or conference) and ((signal\$4 or message) with information with connect\$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 11:34
S11 6	115	S115 and (CDMA or (code adj division adj multiple adj access))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 11:36
S11 8	78	S117 and ("455"/\$.cccls. or "370"/\$.cccls. or "379"/\$.cccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 11:37
S10 4	252	S103 and @AD<="20031229"	US-PGPUB; USPAT	OR	OFF	2007/05/11 11:37
S12 5	32	S124 and (hold\$4 or mut\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 11:50

EAST Search History

S12 4	39	S122 and @AD<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/11 11:50
S12 0	671	(calling near3 (part\$2 or user\$1 or phone\$1 or telephone\$1 or terminal\$1)) and (called near3 (part\$2 or user\$1 or phone\$1 or telephone\$1 or terminal\$1)) and ((three adj way\$1) or ("3" adj way\$1) or conference) and ((signal\$4 or message or information) with (key\$1 or button\$1 or flash\$4) with (connect\$6 or status))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 11:53
S12 8	92	S127 and ("455"/\$.cccls. or "370"/\$.cccls. or "379"/\$.cccls. or "375"/\$.cccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 11:55
S12 2	66	S121 and ("455"/\$.cccls. or "370"/\$.cccls. or "379"/\$.cccls. or "375"/\$.cccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 11:55
S12 1	71	S120 and (CDMA or (code adj division adj multiple adj access))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 11:55
S12 3	221	"L66" and @AD<="20031229"	US-PGPUB; USPAT	OR	OFF	2007/05/11 11:56
S12 6	985	(calling near3 (part\$2 or user\$1 or phone\$1 or telephone\$1 or terminal\$1)) and (called near3 (part\$2 or user\$1 or phone\$1 or telephone\$1 or terminal\$1)) and ((three adj way\$1) or ("3" adj way\$1) or conference) and ((signal\$4 or message or information or press\$4) with (key\$1 or button\$1 or flash\$4) with (connect\$6 or status or hold\$4 or mut\$4 or active or disconnect\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 12:33
S13 1	28	S130 and (CDMA or (code adj division adj multiple adj access))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 12:34
S13 0	75	(calling near3 (part\$2 or user\$1 or phone\$1 or telephone\$1 or terminal\$1)) and (called near3 (part\$2 or user\$1 or phone\$1 or telephone\$1 or terminal\$1)) and ((three adj way\$1) or ("3" adj way\$1) or conference) and ((signal\$4 or message or information or press\$4) with (key\$1 or button\$1 or flash\$4) with (connect\$6 or status or hold\$4 or mut\$4 or active or disconnect\$4) with (uplink or (reverse adj link) or channel))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 12:34
S12 7	99	S126 and (CDMA or (code adj division adj multiple adj access))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 12:34
S13 3	25	S131 and @AD<="20031229"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 12:35
S13 2	25	S131 and @AD<="20031229"	US-PGPUB; USPAT	OR	OFF	2007/05/11 12:35
S12 9	56	S128 and @AD<="20031229"	US-PGPUB; USPAT	OR	OFF	2007/05/11 12:35
L2	2	((CDMA or (code adj division adj multiple adj access)) and (flash\$4 or signal\$4) and ((reverse adj link\$1) or uplink\$1) and message and (control adj information) and channel\$1 and (status or current\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 20:47

EAST Search History

L1	1	((CDMA or (code adj division adj multiple adj access)) and (flash\$4 or signal\$4) and ((reverse adj link\$1) or uplink\$1) and message and (control adj information) and record\$4 and (status or current\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/05/11 20:47
----	---	--	---	----	-----	------------------

101